

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|---------|--|---|------------------|---------|---------------------|
| S13 | 810642 | (transfer\$5 or transform or transmit or deliver) near5 (data or text) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/10/10 16:42 |
| S14 | 2451146 | (ROM or (nonadj1volatile) or memory or (flash near memory)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/10/10 16:44 |
| S15 | 2087 | (copy or copied)near5 (secure or safe or protect or protected)near5 (data) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/10/10 16:48 |
| S16 | 2173 | (copy or copied or dupliacted or duplicate or repliaca)near5 (secure or safe or protect or protected)near5 (data) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/10/10 16:49 |
| S18 | 650 | (secure or safe or protect or protected)near5 (data) near10 ((write near protected) or (write near protection)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/10/10 16:53 |
| S19 | 109181 | (trigger\$4 or activat\$4 or initiat\$5 or generat\$4) near10 (write or indit\$4 or authoriz\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/10/10 16:58 |
| S20 | 485462 | S13 and S14 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/10/10 16:58 |
| S21 | 1033 | S20 and S15 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/10/10 16:59 |
| S22 | 11 | S16 and S18 and S19 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/10/10 16:59 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S23 | 7 | S21 and S22 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/10/10 16:59 |
| S24 | 399 | S19 and 713/193.cds. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/10/10 17:13 |
| S25 | 267 | S24 and (authorizing or authorized or accrediting or accredit or approved or approving) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/10/10 17:15 |
| S26 | 190 | S25 and (authenticat\$4 or validate or validated or validating or confirm\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/10/10 17:17 |
| S27 | 178 | S14 and S26 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/10/10 17:18 |
| S28 | 1 | S18 and S27 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/10/10 17:18 |
| S29 | 5 | ((unauthorized or illegal or unlawful or unpermitted or unpermitting or illicited or illiciting or banned or banning)near5 (access or accessing or ready or available)near5(Volatile or changeable or variable) near10 (memory or RAM or Storage) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/10/10 17:36 |
| S31 | 30 | ((unauthorized or illegal or ban or unpermitted or unpermitting)near10(access or write or writing) near(RAM or volatile) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/10/10 17:43 |
| S32 | 13 | ((Unauthoriz\$3 illegal illicit\$3) adj3 (access\$3 enter\$3 login \$3) same ((information data result) near5 (Ram (volatile near3 memory) memory)) same ((chang\$3 alter\$3 mov \$3 modify\$3) adj3 (address location designation)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/10/10 18:41 |

| | | | | | | |
|-----|------|---|---|----|-----|---------------------|
| S33 | 13 | ((unauthoriz\$3 illegal illicit\$3) adj3 (access\$3 enter\$3 login \$3) same ((information data result) near5 (Ram (volatile near3 memory) memory)) same ((chang\$3 alter\$3 mov \$3 modify\$3) adj3 (address location designation)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/10/13 08:57 |
| S43 | 2691 | 713/193.cds. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/02 11:22 |
| S51 | 8 | ((writ\$4 near4 (protect\$4)) near5 (memory adj zone register adj zone) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 13:11 |
| S52 | 0 | ((("copy" "copying") adj3 ("confidential" "secret") adj ("data")) near5 ("RAM" memory adj zone register adj zone working adj zone working adj memory) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 14:03 |
| S53 | 27 | ((("copy" "copying") adj3 ("confidential" "secret") adj ("data")) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 14:04 |
| S54 | 10 | ((@ad< "20030902") and ((("copy" "copying") adj3 ("confidential" "secret") adj ("data")) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 14:04 |
| S55 | 3 | ((@ad< "20030902") and S43 and ((("copy" "copying") adj3 ("confidential" "secret") adj ("data")) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 14:09 |
| S56 | 0 | ((("copy" "copying") adj3 ("confidential" "secret") adj ("data")) near5 (RAM memory) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 14:11 |
| S57 | 6 | ((("copy" "copying" "load" "loading") adj3 ("confidential" "secret") adj ("data")) near5 (RAM memory) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 14:12 |
| S58 | 0 | ((("copy" "copying" "load" "loading")near5 (secert ajd key) near5 (NAND near3 memory) near5 (NOR near3 memory)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 14:32 |

| | | | | | | |
|-----|-------|---|---|----|-----|---------------------|
| S59 | 0 | ("copy" "copying" "load" "loading") near5 (secret adj key) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 14:32 |
| S60 | 21037 | ("copy" "copying" "load" "loading") near5 (key) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 14:32 |
| S61 | 963 | ("copy" "copying" "load" "loading") near5 (key) near5 (flash memory) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 14:33 |
| S62 | 0 | ("copy" "copying" "load" "loading") near5 (key) near5 (flash memory) near4 (write near2 protect\$\$) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 14:33 |
| S63 | 0 | ("copy" "copying" "load" "loading") near5 (key) near5 (memory) near4 (write near2 protect\$\$) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 14:34 |
| S64 | 0 | ("copy" "copying" "load" "loading") near5 (key) near5 (memory) near4 (write near2 protect\$4) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 14:34 |
| S65 | 34 | (write near2 protect\$4) near5 (key data) near5 (RAM random adj access adj memory) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 14:43 |
| S66 | 24 | (@ad< "20030902") and (write near2 protect\$4) near5 (key data) near5 (RAM random adj access adj memory) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 14:43 |
| S67 | 220 | (@ad< "20030902") and (write near2 protect\$4) near5 (RAM random adj access adj memory) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 15:22 |
| S68 | 183 | (@ad< "20030902") and (write near2 protect\$4) near5 (RAM random adj access adj memory) near5 (enable write protection) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 15:24 |
| S69 | 0 | S68 and ((block\$4 stopp\$4) near5 (writing near4 random adj access adj memory)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 15:26 |

| | | | | | | |
|-----|--------|---|---|----|-----|---------------------|
| S70 | 0 | (@ad<"20030902") and (loading copying) near5 (secert key) near5(read adj only adj memory EPROM) near5 (" to random adj access adj memory RAM ") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 15:33 |
| S71 | 0 | (@ad<"20030902") and (loading copying) near5 (secert key) near5(read adj only adj memory EPROM) near5 (" to random adj access adj memory" "RAM ") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 15:34 |
| S72 | 0 | (@ad<"20030902") and (loading copying) near5 (secert key) near5(read adj only adj memory EPROM) near5 (random adj access adj memory "RAM ") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 15:34 |
| S73 | 27 | (@ad<"20030902") and (loading copying) near5 (key data) near5(read adj only adj memory EPROM) near5 (random adj access adj memory "RAM ") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 15:35 |
| S76 | 9052 | (write near2 (protect\$5)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 15:38 |
| S77 | 1 | S73 and S76 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 15:38 |
| S78 | 147369 | (non adj volatile adj memory) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 15:58 |
| S79 | 1263 | (@ad<"20030902") and (cop \$5 load\$4) near5 (data key) near5 (non adj volatile adj memory) near5 (volatile adj memory) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 16:02 |
| S80 | 18 | S43 and (@ad<"20030902") and (cop\$5 load\$4) near5 (data key) near5 (non adj volatile adj memory) near5 (volatile adj memory) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 16:02 |
| S81 | 83 | (@ad<"20030902") and (cop \$5 load\$4) near5 (key) near5 (non adj volatile adj memory) near5 (volatile adj memory) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 16:09 |

| | | | | | | |
|------|------|--|---|----|-----|---------------------|
| S82 | 40 | ((@ad< "20030902") and (cop \$5 load\$4) near5 (key) near5 (non adj volatile adj memory) near5 (volatile adj memory)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 16:09 |
| S83 | 51 | ((@ad< "20030902") and (cop \$5 load\$4) near5 (key) near5 (volatile adj memory)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 16:11 |
| S84 | 39 | ((@ad< "20030902") and (cop \$5 load\$4) near5 (key) near5 (volatile adj memory) near (non adj volatile adj memory)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 16:12 |
| S85 | 39 | ((@ad< "20030902") and (cop \$5 load\$4) near5 (key) near5 (volatile adj memory) near5 (non adj volatile adj memory)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 16:13 |
| S86 | 2790 | ((@ad< "20030902") and (write near2 ("protect" "protecting" "protect")) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 16:17 |
| S89 | 2 | S86 and ((block\$4) near5 ("writing") near5 (random adj access adj memory)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 16:22 |
| S94 | 3 | S86 and ((block\$4 prevent \$4) near5 (writing) near5 (random adj access adj memory)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 16:27 |
| S100 | 2 | ((@ad< "20030902") and ((write near2 ("protect" "protecting" "protect")) near5 random adj access adj memory)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 16:42 |
| S102 | 1 | ((@ad< "20030902")and ((loading near5 data) near5 (memory) near5 (write adj protect\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/02 18:15 |
| S103 | 4605 | ((@ad< "20030902") and ((block\$4 lock\$4) near5 (writ\$4 modif\$5) near5 (temporary adj memory memory RAM) near5 (copy \$4 load\$4 stor\$4)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 18:39 |

| | | | | | | |
|------|-----|--|---|----|-----|---------------------|
| S104 | 40 | \$43 and (@ad<"200300902") and ((block\$4 lock\$4) near5 (writ\$4 modif\$5) near5 (temporary adj memory memory RAM) near5 (copy \$4 load\$4 stor\$4)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 18:41 |
| S105 | 7 | ((@ad<"200300902") and ((load\$4 adj (key data))near (temporary adj memory)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 19:00 |
| S107 | 46 | ((@ad<"200300902") and ((load\$4 adj (key data))near (temporary adj memory memory)) and (write near4 protect\$4) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 19:02 |
| S108 | 27 | ((@ad<"200300902") and ((load \$4 adj (key data))near (temporary adj memory memory)) and (write near4 protect\$4) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 19:02 |
| S109 | 134 | ((@ad<"200300902") and ((load \$4 adj (key data))near5 (temporary adj memory memory)) and (write near4 protect\$4) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 19:03 |
| S110 | 28 | ((@ad<"200300902") and ((load \$4 adj (key data))near5 (temporary adj memory memory)) and (write near4 protect\$4)and ((block\$4 lock \$4)adj writ\$4) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/02 19:06 |
| S115 | 2 | "6078520".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/27 15:47 |
| S116 | 2 | "5973968".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/27 19:12 |
| S117 | 0 | 10/569530.pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/27 19:41 |
| S118 | 1 | 10/569530.app | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/27 19:41 |

| | | | | | | |
|------|------|---|---|----|-----|---------------------|
| S119 | 2 | "6115819".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/27 19:47 |
| S120 | 2 | "5592641".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/27 19:48 |
| S121 | 1 | 10/569530.app. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 10:10 |
| S122 | 942 | (cop\$4) same ((segment block) near2 (data)) same (NAND adj flash memories ROM non\$1volatile) same (RAM volatile) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 10:21 |
| S123 | 0 | S122 and (write\$1protect\$4 with trigger\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 10:28 |
| S124 | 2849 | (write\$1protect\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 10:28 |
| S125 | 0 | S124 and (triggering near4 flag near5 write\$1protect\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 10:29 |
| S126 | 399 | S124 and (activat\$4 same (block\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 10:33 |
| S127 | 49 | S122 and S126 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 10:33 |
| S128 | 586 | (cop\$4) same ((segment block) near2 (data)) same (NAND adj flash adj memories ROM non\$1volatile) same (RAM volatile) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 10:40 |
| S129 | 129 | (activat\$4 same write\$1protect \$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 10:44 |

| | | | | | | |
|------|--------|---|---|----|----|---------------------|
| S130 | 56917 | 2a dn S129 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 10:45 |
| S131 | 1 | S122 and S129 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 10:45 |
| S132 | 0 | ((write\$1protection near5 activat\$4) same ((segment block) near2 data) same (flash adj memory NAND adj memory NAND adj flash adj memory)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 10:58 |
| S133 | 2 | ((write\$1protection near5 activat\$4) and ((segment block) near2 data) and (flash adj memory NAND adj memory NAND adj flash adj memory)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 10:59 |
| S134 | 2 | ((write\$1protection near5 activat\$4) and ((segment block) near2 data) and (RAM main adj memory working adj memory volatile adj memory)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 11:01 |
| S135 | 0 | ((write\$1protection writeprotected)near5 activat \$4) same ((segment block) near2 data) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 11:08 |
| S136 | 4 | ((write\$1protection writeprotected)near5 activat \$4) same (RAM volatile adj memory)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 11:09 |
| S137 | 14 | ((write\$1protection writeprotected)near5 activat \$4) and (RAM volatile adj memory)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 11:13 |
| S138 | 9 | ((@ad< "20030902") and (((write\$1protection writeprotected)near5 activat \$4) and (RAM volatile adj memory)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 11:13 |
| S139 | 271804 | ((transfer\$4) same (data key) same (volatile RAM memory) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 11:19 |

| | | | | | | |
|------|--------|---|---|----|-----|---------------------|
| S140 | 0 | S139 and (write\$1protect\$4 same (segment adj data) same (RAM memory volatile adj memory)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 11:22 |
| S141 | 0 | S139 and (write\$1protect\$4 same (segment adj data)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 11:22 |
| S142 | 13 | S139 and (write\$1protect\$4 same (memory adj block)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 11:23 |
| S143 | 3265 | ((cop\$4 transfer\$4) same ((segment block) near2 (data)) same (RAM volatile adj memory)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 11:44 |
| S144 | 2 | "5325499".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 11:50 |
| S145 | 128 | ((IOS) same (activat\$4) same (block\$4) same (memory)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 13:11 |
| S146 | 255477 | ((transfer\$4) same (data key) same (memory)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 13:12 |
| S147 | 46 | S145 and S146 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 13:12 |
| S148 | 26 | ((@ad< "20030902") and S147 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 13:14 |
| S149 | 9 | ((@ad< "20030902") and ((transfer\$4 near5 segment) same (RAM volatile) same (flash adj memory NAND adj flash adj memory)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 13:22 |
| S150 | 8 | ((STURLA) near2 (LUTNAES)). INV. | US-PGPUB; USPAT | OR | OFF | 2009/04/28 13:39 |

| | | | | | | |
|------|-------|--|---|----|-----|---------------------|
| S151 | 2 | (write\$1protect\$4) same (memory near2 block) same (SRAM RAM FRAM) same (BOI S ROM flash adj memory EEPROM) | US-PGPUB; USPAT | OR | OFF | 2009/04/28 13:46 |
| S152 | 504 | (write\$1protect\$4) and (memory near2 block) and (SRAM RAM FRAM) and (BOI S ROM flash adj memory EEPROM) | US-PGPUB; USPAT | OR | OFF | 2009/04/28 13:51 |
| S153 | 26 | (@ad< "20030902") and S147 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 13:51 |
| S154 | 267 | (@ad< "20030902") and S152 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 13:52 |
| S155 | 2 | S154 and (activat\$4 near10 write\$1protection) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 13:53 |
| S156 | 0 | (activat\$4 near10 write \$1protection) and (block near5 (memory RAM SDRAM SRAM)) and (deactivat\$4) and (memory near3 block) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 14:32 |
| S157 | 0 | (activat\$4 near10 write \$1protection) and (block near5 (memory RAM SDRAM SRAM)) and (deactivat\$4 near10 write\$1protection) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 14:33 |
| S158 | 2 | (activat\$4 near10 write \$1protection) and (block near5 (memory RAM SDRAM SRAM)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 14:34 |
| S159 | 2 | "5533125".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 16:16 |
| S160 | 13466 | (copy cop\$4 transfer\$4) with (non\$1volatile) with (volatile) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/28 16:20 |
| S161 | 6803 | (@ad< "20030902") and S160 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 16:20 |

| | | | | | | |
|------|-------|--|---|----|-----|---------------------|
| S162 | 46 | S161 and ((write adj protect \$4 write\$1protect\$4) same (volatile near2 memory SRAM FRAM)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/28 16:26 |
| S163 | 2 | "5973968" pn. | US-PGPUB; USPAT, USOCR, EPO; DERWENT; IBM_TDB | OR | OFF | 2009/04/30 09:10 |
| S164 | 8 | ((STURLA) near2 (LUTNAES)). INV. | US-PGPUB; USPAT | OR | OFF | 2009/04/30 09:54 |
| S165 | 45575 | "713"/\$ ccls. | US-PGPUB; USPAT | OR | OFF | 2009/11/10 18:51 |
| S166 | 1 | 10/569530.app. | US-PGPUB; USPAT | OR | ON | 2009/11/10 19:00 |
| S167 | 9260 | (block) with memory with (gate) | US-PGPUB; USPAT | OR | ON | 2009/11/10 19:25 |
| S168 | 0 | S167 and (debugging near2 unit) | US-PGPUB; USPAT | OR | ON | 2009/11/10 19:25 |
| S169 | 194 | S167 and (debugging) | US-PGPUB; USPAT | OR | ON | 2009/11/10 19:26 |
| S170 | 0 | S167 and (debugging adj unit) | US-PGPUB; USPAT | OR | ON | 2009/11/10 19:26 |
| S171 | 122 | S169 and (@ad<"20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/10 19:27 |
| S172 | 13 | (writing written copy copying) near6 (data) with (ram volatile adj1 memory memory) same (off on) near6 (block) and (@ad<"20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/10 19:39 |
| S173 | 0 | (writing written copy copying) near6 (data) with (ram volatile adj1 memory memory) same (trun adj (off on)) near6 (monitor adj unit) and (@ad<"20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/10 19:42 |
| S174 | 0 | (writing written copy copying) near6 (data) with (ram volatile adj1 memory memory) same (trun adj (off on)) near6 (monitor) and (@ad<"20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/10 19:43 |
| S175 | 0 | (writing written copy copying) near6 (data) with (ram volatile adj1 memory memory) same (trun adj (off on)) and (@ad<"20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/10 19:43 |

| | | | | | | |
|------|---------|--|-----------------|----|----|------------------|
| S176 | 17 | (writing written copy copying) near6 (data) with (ram volatile adj1 memory memory) same (off on) near6 (monitor) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/10 19:43 |
| S177 | 0 | (writing written copy copying) near6 (data) with (ram volatile adj1 memory memory) same (off on) near6 (monitor adj unit) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/10 19:43 |
| S178 | 12367 | (writing written copy copying) near6 (data) with (ram volatile adj1 memory memory) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/10 19:50 |
| S179 | 1 | (off on) near3 (unit) same (copy copying) near3 (data) same (block) near6 (write) | US-PGPUB; USPAT | OR | ON | 2009/11/10 19:52 |
| S180 | 1 | (off on) near3 (unit) same (copy copying) near3 (data string bit) same (block) near6 (write) | US-PGPUB; USPAT | OR | ON | 2009/11/10 19:53 |
| S181 | 52 | (off on) near3 (unit) same (copy copying) near3 (data string bit) | US-PGPUB; USPAT | OR | ON | 2009/11/10 19:53 |
| S182 | 17 | S178 and S181 | US-PGPUB; USPAT | OR | ON | 2009/11/10 19:53 |
| S183 | 0 | (off) near6 (gate logic) with (writing copying) with (memory volatile RAM working adj memory) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/10 20:01 |
| S184 | 32 | (off) near6 (gate logic switch) with (writing copying) with (memory volatile RAM working adj memory) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/10 20:01 |
| S185 | 4435678 | (activat\$4) near6 (gate logic) same (writ\$4) near6 (memory) (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/10 20:12 |
| S186 | 4435290 | (activat\$4) near6 (gate logic) near6 (writ\$4) near6 (memory) (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/10 20:12 |
| S187 | 4435203 | (activat\$4) near6 (gate logic) near6 (writing) near6 (memory) (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/10 20:12 |

| | | | | | | |
|------|------|---|---|----|----|---------------------|
| S188 | 3 | "4078259".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/13 14:38 |
| S189 | 3 | "4049956".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/13 14:40 |
| S190 | 0 | ((inline) near6 (monitoring) near6 (cpu logic adj unit) same (write near6 (protect\$3 near6 (ram memory))) | US-PGPUB; USPAT | OR | ON | 2009/11/13 14:47 |
| S191 | 0 | ((inline) near6 (monitoring) near6 (cpu logic adj unit) | US-PGPUB; USPAT | OR | ON | 2009/11/13 14:47 |
| S192 | 6063 | ((monitoring) near6 (cpu logic adj unit) | US-PGPUB; USPAT | OR | ON | 2009/11/13 14:47 |
| S193 | 1 | ((monitoring) near6 (cpu logic adj unit) near2 (on-line on\$1line) | US-PGPUB; USPAT | OR | ON | 2009/11/13 14:48 |
| S194 | 3 | ((monitoring) near6 (cpu logic adj unit) near6 (on-line on\$1line) | US-PGPUB; USPAT | OR | ON | 2009/11/13 14:48 |
| S195 | 1 | "5325499".pn. | US-PGPUB; USPAT | OR | ON | 2009/11/13 14:56 |
| S196 | 13 | ((block\$3 prevent\$4) near6 (cpu "central processing unit" "logic unit" processor)) same (("write protection") near6 (memory RAM volatile working)) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 15:18 |
| S197 | 0 | ((activat\$3 on strat\$4) near6 ((block\$3 prevent\$4) near6 (cpu "central processing unit" "logic unit" processor)) same (("write protection") near6 (memory RAM volatile working)) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 15:31 |
| S198 | 591 | ((activat\$3 on strat\$4) near6 ((block\$3 prevent\$4) near6 (cpu "central processing unit" "logic unit" processor)) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 15:32 |
| S199 | 2224 | ((activat\$3 on strat\$4) near6 (block\$3 prevent\$4) near6 (memory working ram) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 15:33 |
| S200 | 2166 | ((activat\$3) near6 (block\$3 prevent\$4) near6 (memory working ram) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 15:33 |

| | | | | | | |
|------|----|---|--------------------|----|----|---------------------|
| S201 | 0 | ("logic unit") near6 (activat\$3) near6 (block\$3 prevent\$4) near6 (memory working ram) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 15:34 |
| S202 | 0 | ("logic unit") near6 (activat\$3 on) near6 (block\$3 prevent\$4) near6 (memory working ram) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 15:34 |
| S203 | 2 | ("logic unit") near6 (activat\$3 on start\$3) near6 (block\$3 prevent\$4) near6 (memory working ram) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 15:35 |
| S204 | 2 | ("logic unit") near6 (activat\$3 on start\$3) near6 (block\$3 prevent\$4) near6 (memory working ram) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 15:35 |
| S205 | 76 | ("truns off" disconnect\$4) near6 (writ\$4) near6 (block function logic) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 15:52 |
| S206 | 16 | ("truns off" disconnect\$4) near6 (writ\$4) near6 (block function logic) near6 (memory ram volatile) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 15:53 |
| S207 | 1 | "4734851".pn. | US-PGPUB; USPAT | OR | ON | 2009/11/13 16:09 |
| S208 | 18 | (safeguard) same (writ\$4) same (protect\$4) same (working memory RAM volatile) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 16:11 |
| S209 | 18 | (safeguard) same (working memory RAM volatile) same (writ\$4) same (protect\$4) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 17:24 |
| S210 | 1 | (safeguard) near6 (working memory RAM volatile) near6 (writ\$4) near6 (logic function command) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 17:26 |
| S211 | 18 | (safeguard) near6 (writ\$4 overwrit\$4 copying) near6 (working memory RAM volatile) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 17:27 |
| S212 | 0 | (safeguard) with (connect\$3 disconnect\$4 off on) with ((writ\$4 overwrit\$4 copying) near2 (function command)) with (working memory RAM volatile) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 17:48 |

| | | | | | | |
|------|-----|--|--------------------|----|----|---------------------|
| S213 | 0 | ((safeguard) same (connect\$3 disconnect\$4 off on) same ((writ\$4 overwrite\$4 copying) near2 (function command)) same (working memory RAM volatile) and (@ad<"20030902")) | US-PGPUB; USPAT | OR | ON | 2009/11/13 17:48 |
| S214 | 414 | ((safeguard) and (connect\$3 disconnect\$4 off on) and ((writ\$4 overwrite\$4 copying) near2 (function command)) and (working memory RAM volatile) and (@ad<"20030902")) | US-PGPUB; USPAT | OR | ON | 2009/11/13 17:49 |
| S215 | 491 | ((safeguard "logic unit") near10 (connect\$3 disconnect \$4 off on)) and ((writ\$4 overwrite\$4 copying) near2 (function command)) and (working memory RAM volatile) and (@ad<"20030902")) | US-PGPUB; USPAT | OR | ON | 2009/11/13 17:50 |
| S216 | 401 | ((safeguard "logic unit") near6 (connect\$3 disconnect \$4 off on)) and ((writ\$4 overwrite\$4 copying) near2 (function command)) and (working memory RAM volatile) and (@ad<"20030902")) | US-PGPUB; USPAT | OR | ON | 2009/11/13 17:50 |
| S217 | 0 | ("safeguard unit") near20 (disconnect\$4 off) near20 (writ\$4) near20 (function command) near20 (volatile RAM "working memory") and (@ad<"20030902")) | US-PGPUB; USPAT | OR | ON | 2009/11/13 18:19 |
| S218 | 0 | ("monitoring unit") near20 (disconnect\$4 off) near20 (writ\$4) near20 (volatile RAM "working memory") and (@ad<"20030902")) | US-PGPUB; USPAT | OR | ON | 2009/11/13 18:19 |
| S219 | 217 | ("disconnect\$4 "turning off" turns off") near20 (writ\$4) near20 (volatile RAM "working memory") and (@ad<"20030902")) | US-PGPUB; USPAT | OR | ON | 2009/11/13 18:20 |
| S220 | 0 | (disconnect\$4 "turning off" turns off") near20 (safeguard) near20 (writ\$4) near20 (volatile RAM "working memory") and (@ad<"20030902")) | US-PGPUB; USPAT | OR | ON | 2009/11/13 18:21 |

| | | | | | | |
|------|--------|--|-----------------|----|----|------------------|
| S221 | 0 | (disconnect\$4 "turning off" "turns off") near20 (safegurd) near20 (volatile RAM "working memory") and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 18:21 |
| S222 | 8 | (disconnect\$4 "turning off" "turns off") near20 (safegurd logic) near20 (writ\$4) near20 (volatile RAM "working memory") and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 18:21 |
| S223 | 140646 | (access\$4) near20 (volatile RAM "working memory") and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 18:30 |
| S224 | 134087 | (access\$4) near6 (volatile RAM "working memory") and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 18:30 |
| S225 | 2892 | (access\$4 near3 control) near6 (volatile RAM "working memory") and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 18:30 |
| S226 | 469 | ("access control") near6 (volatile RAM "working memory") and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 18:34 |
| S227 | 0 | ("access control") near6 (volatile RAM "working memory") near6 ("write protection") and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 18:34 |
| S228 | 63 | ("access control") near6 (volatile RAM "working memory") near6 (write protection) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 18:35 |
| S229 | 0 | ("turns off" disconnect\$4 "turning off") near6 ("access control") near6 (volatile RAM "working memory") near6 (write protection) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 18:41 |
| S230 | 0 | ("turns off" disconnect\$4 "turning off") same ("access control") near6 (volatile RAM "working memory") near6 (write protection) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 18:41 |
| S231 | 3 | ("turns off" disconnect\$4 "turning off") same ("access control") same (volatile RAM "working memory")same (write protection) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 18:41 |

| | | | | | | |
|------|-----|---|-----------------|----|----|------------------|
| S232 | 3 | ("turns off" disconnect\$4 "turning off") same ("access control" safeguard) same (volatile RAM "working memory") same (write protection) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 18:44 |
| S233 | 136 | ("turns off" disconnect\$4 "turning off") same ("access control" safeguard logic) same (volatile RAM "working memory") same (write protection) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 18:45 |
| S234 | 7 | ((("turns off" disconnect\$4 "turning off") near10 ("access control" safeguard logic) near10 (volatile RAM "working memory")) same (write protection) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 18:45 |
| S235 | 21 | ((("turns off" disconnect\$4 "turning off" "cutting off" apart\$3 detach\$4 break\$3 disjoin\$4 drop\$4 "take out") near10 ("access control" safeguard logic) near10 (volatile RAM "working memory")) same (write protection) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 18:54 |
| S236 | 21 | ((("turns off" disconnect\$4 "turning off" "cutting off" apart\$3 detach\$4 break\$3 disjoin\$4 drop\$4 "take out") near10 ("access control" safeguard logic) near10 ("volatile" RAM "working memory")) same (write protection) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 18:55 |
| S237 | 49 | ((("turns off" disconnect\$4 "turning off" "cutting off" apart\$3 detach\$4 break\$3 disjoin\$4 drop\$4 "take out") near10 ("access control" safeguard logic switch gate) near10 ("volatile" RAM "working memory")) same (write protection) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/13 19:14 |
| S238 | 0 | S237 and "not 52" | US-PGPUB; USPAT | OR | ON | 2009/11/13 19:15 |

| | | | | | | |
|------|------|---|---|----|-----|---------------------|
| S239 | 3 | "20040255141" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/16 11:45 |
| S240 | 5028 | (writ\$4) near6 (protect\$4) near6 (RAM volatile working adj memory memory) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/16 12:13 |
| S241 | 1 | 10/569530.app. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/16 12:14 |
| S242 | 5 | (monitoring monitor\$ debug\$ debugging) near4 (disconnecting disconnect\$ disable\$ disabling) same (blocking locking) same (memory volatile working adj memory) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/16 14:37 |
| S243 | 781 | (logic switch gate) same (blocking locking) same (memory volatile working adj memory) and (disconnecting disabling disable "turning off") and (reconnecting enable "turning on") and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/16 14:54 |
| S244 | 7 | (disconnecting disabling disable "turning off") near6 (logic switch gate) near6 (blocking locking) near6 (memory volatile working adj memory) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/16 15:04 |
| S245 | 10 | (monitoring debugging) near6 (blocking locking) near6 (memory volatile working adj memory) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/16 15:12 |
| S246 | 0 | (disconnecting disable disconnect) near6 (monitoring debugging debug monitor) near6 (blocking locking) near6 (memory volatile working adj memory) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/16 15:35 |
| S247 | 3567 | (disconnecting disable disconnect) near6 (monitoring debugging debug monitor) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/16 15:36 |

| | | | | | | |
|------|------|---|-----------------|----|----|------------------|
| S248 | 102 | ((disconnecting disable disconnect) near6 (monitoring debugging debug monitor) with (memory volatile working adj memory) and (@ad<"20030902")) | US-PGPUB; USPAT | OR | ON | 2009/11/16 15:36 |
| S249 | 3990 | ((reconnecting reconnect\$4 enable enabl\$4 connect\$4) near6 (monitoring debugging debug monitor) with (memory volatile working adj memory) and (@ad<"20030902")) | US-PGPUB; USPAT | OR | ON | 2009/11/16 15:38 |
| S250 | 181 | S247 and S249 | US-PGPUB; USPAT | OR | ON | 2009/11/16 15:38 |
| S251 | 0 | ((blocking) near5 (memory volatile RAM) near5 (changing altering) near5 (address)) | US-PGPUB; USPAT | OR | ON | 2009/11/16 17:11 |
| S252 | 0 | ((blocking) near10 (memory volatile RAM) near5 (changing altering) near5 (address pointer) and (@ad<"20030902")) | US-PGPUB; USPAT | OR | ON | 2009/11/16 17:28 |
| S253 | 5 | ((blocking) near10 (memory volatile RAM) near5 (changing altering) and (@ad<"20030902")) | US-PGPUB; USPAT | OR | ON | 2009/11/16 17:28 |
| S254 | 38 | ((blocking) near10 (memory volatile RAM)) same ((changing altering redirecting) near10 (memory address)) and (@ad<"20030902")) | US-PGPUB; USPAT | OR | ON | 2009/11/16 17:29 |
| S255 | 1897 | ((writ\$4) near6 (memory volatile RAM)) same ((chang \$4 alter\$4) near2 (address)) and (@ad<"20030902")) | US-PGPUB; USPAT | OR | ON | 2009/11/16 17:40 |
| S256 | 739 | ((writ\$4) near6 (memory volatile RAM)) with ((chang \$4 alter\$4) near2 (address)) and (@ad<"20030902")) | US-PGPUB; USPAT | OR | ON | 2009/11/16 17:40 |
| S257 | 13 | ((writ\$4) near6 (volatile)) with ((chang\$4 alter\$4) near2 (address)) and (@ad<"20030902")) | US-PGPUB; USPAT | OR | ON | 2009/11/16 17:40 |
| S258 | 0 | ((writ\$4) near6 (protect\$4) near6 (volatile)) with ((chang \$4 alter\$4) near2 (address)) and (@ad<"20030902")) | US-PGPUB; USPAT | OR | ON | 2009/11/16 17:44 |

| | | | | | | |
|------|----|---|-----------------|----|----|------------------|
| S259 | 5 | ((chang\$4 alter\$4) near6 (address) near6 (memory volatile RAM)) same ((blocking) near6 (write writting written))and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/16 17:48 |
| S260 | 22 | ((chang\$4 alter\$4) near10 (address pointer)) same ((blocking) near10 (memory volatile RAM)) and (@ad< "20030902") | US-PGPUB; USPAT | OR | ON | 2009/11/16 17:52 |

11/16/2009 7:15:31 PM

C:\Documents and Settings\asholeman\My Documents\EAST\Workspaces\10569530.wsp